

eBick Pro 280 – PCC Configuration

C.C.C.S.C. BMS Display

M1 EMS	EMS Alarmas	Estado de la Batería Corriente Total 0.0 A 🗲 Tensión de Bus 147.5 V 🖛 SoF	
	Reset Historial	Soc 97 % SoF Total de Celda Vcell Tcell SoF mín 3234 mV 18.3 °C SoH 100 % máx 3334 mV 19.9 °C	
	Conexion Prog. Terminada Desconexión Prog. Terminada	MEC Vcell Tcell Seleccionado mín 3234 mV 19.1 °C MEC1 ▼	

EMS	EM	S	Estado de la Bat Corriente Total	ería 0.0 A					
M1	Alarmas	C Acced	der - EMSguiA	\pp	? >		GQ	SO	
			Usuario admin				Vcell	Tcell	
	Reset	୯.୧.୯.୦	SO Contrase	es		┥┝	3234 mV	18.3 °C	
	😑 Conexión Prog. Terr			Aceptar	Cancelar		3334 mV	19.8 °C	
	🕒 Desconexión Prog. Te	rminada			Seleccionado	mín	Vcell 3234 mV	Tcell 19.1 °C	
			Desco	nectar	MEC1 -	-		19.8 °C	

User: admin Password: cegasa

Sistema				ــــــــــــــــــــــــــــــــــــــ		
Rook selec	cionado	Rook Uniovi				.
Rook						
Nombre R	ook	Rook	Uniovi e	Química NMC/N	CA	-
Celdas Ser	ie 15	Celdas Paralelo	15	Paralelos 1 💌	Series 14 💌	Editar MECs
Calcular 1	otal Capacidad C	elda (Ah) 180	Máx Descarga Cel	da (A) 180	Máx Carga Celda (A)	180
Máx Temp	60 Mín Temp.	0 MEC OBD			00	Examinar
eQuímic		Voltaje de Celda (m	V)			
		Mín	2500 Máx	3650	Nominal	3600

Configure the number of batteries in parallel or series, then select Edit MECs

XX.		\checkmark		\square			X	
	•	₽ _	4	D ■ 2	4	E.		
MECs para el R	ook		MECs Disponi	bles		Disposición en	batería	
Id Nodo	Número Serie		Id Nodo	Número Seri	e 🔺	P1		
			1	0		S1		
			2	1		S2		
			3	2		S 3		
			4	3		S4		
		>	5	4		S5		
			6	5		S6		
			7	6		S7		
			8	7		S8		
			0			S9		
			Añadir	Nuevo MEC	Eliminar	S10	_	
* modificado						ок	Cancel	

Add all necessary modules by selecting Add New MEC and then move it to the left side of the screen

		\mathbb{N}^{2}	\searrow		$ \times $	>	
		0) 🚺 💼 🔅		┣ 4 🗗			
	MECs para el R	ook		MECs Disponibles		Disposición en bate	ría)
K K	Id Nodo	Número Serie		Id Nodo	Número Serie	P1 .	
	1	0				S1 0	
	2	1				S2 1	
	3	2				53 2	
	4	3				S4 3	
	5	4	_			S5 4	
	6	5				S6 5	
	7	6				57 6 ⁻	
	8	7				S8 7	
	9	8				S9 8	
	10	9		Añadir Nuevo M	MEC Elimina	r S10 9	▼
	* modificado					ОКСан	ncel

Once the modules are on the left side, press OK twice and then restart the PCC. Don't worry if an error message pops up.

cecoso

+75 YEARS OF ENERGY STORAGE EXPERIENCE

CEGASA, a leading brand in energy management and storage systems

- Specialising in the design and development of energy solutions for residential and industrial sectors.
- Experts in latest generation Lithium-Ion based energy accumulation technologies.
- A leading European company in the design and manufacture of energy storage solutions.
- · A highly qualified, motivated team.
- · Dedicated to quality and customer service.
- Own research, standardisation and material characterisation laboratories.
- A business group committed to innovation and sustainable development.

HEAD OFFICE & FACTORY

Parque Tecnológico de Álava C/ Marie Curie, 1 01510 Miñano // Spain Ph: +34 945 31 37 38 ebick@cegasa.com

LOCATIONS

Cegasa USA Inc.

1701 Armitage Court Addison, IL 60101 // USA Ph: +1 630 629 6300 sales.usa@cegasa.com

t Suite 10, 1st Floor, USA 1 Derby Square, L2 1AB Liverpool // UK om Ph: +44 (0) 151 709 8400 sales.uk@cegasa.com

Cegasa UK Ltd.

Cegasa Australia

Maroubra, NSW 2035 Sydney - Australia Ph: +61 (0) 431 225 241 sales.australia@cegasa.com



